| NO. | ПС | COE |)E | PRODUCT DESCRIPTION | CATEGORY OF | | | |
|-----|------|-----|------------|---|----------------|--|--|--|
| NO. | 113 | COL | <i>,</i> _ | PRODUCT DESCRIPTION | STANDARDS | | | |
| | 720 | 1 | | Pig iron and spiegeleisen in pigs, blocks or other primary forms | | | | |
| 1 | 7201 | 10 | 000 | - Non-alloy pig iron containing by weight 0.5 % or less of phosphorus | MS | | | |
| 2 | 7201 | 20 | 000 | - Non-alloy pig iron containing by weight more than 0.5 % of phosphorus | MS | | | |
| 3 | 7201 | 50 | 000 | - Alloy pig iron; spiegeleisen | MS | | | |
| | 720 | 2 | | Ferro-Alloys | | | | |
| | | | | - Ferro-manganese: | | | | |
| 4 | 7202 | 11 | 000 | Containing by weight more than 2 % of carbon | MS | | | |
| 5 | 7202 | 19 | 000 | Other | MS | | | |
| | | | | - Ferro-silicon: | 1 | | | |
| 6 | 7202 | 21 | 000 | Containing by weight more than 55 % of silicon | MS | | | |
| 7 | 7202 | 29 | 000 | Other | MS | | | |
| 8 | 7202 | 30 | 000 | - Ferro-silico-manganese | ISO | | | |
| | | | | - Ferro-chromium: | 1 | | | |
| 9 | 7202 | 41 | 000 | Containing by weight more than 4 % of carbon | ISO | | | |
| 10 | 7202 | 49 | 000 | Other | - | | | |
| 11 | 7202 | 50 | 000 | - Ferro-silico-chromium | ISO | | | |
| 12 | 7202 | 60 | 000 | - Ferro-nickel | ISO | | | |
| 13 | 7202 | 70 | 000 | - Ferro-molybdenum | ISO | | | |
| 14 | 7202 | 80 | 000 | - Ferro-tungsten and ferro-silico-tungsten | ISO | | | |
| | | | | - Other: | 1 | | | |
| 15 | 7202 | 91 | 000 | Ferro-titanium and ferro-silico-titanium | ISO | | | |
| 16 | 7202 | 92 | 000 | Ferro-vanadium | MS | | | |
| 17 | 7202 | 93 | 000 | Ferro-niobium | ISO | | | |
| 18 | 7202 | 99 | 100 | Ferro-phosphorus | FNS | | | |
| 19 | 7202 | 99 | 900 | Other | ISO | | | |
| | 720 | 3 | | Ferrous products obtained by direct reduction of iron ore an ferrous products, in lumps, pellets or similar forms; iron have by weight of 99.94% in lumps, pellets or similar forms | | | | |
| 20 | 7203 | 10 | 000 | - Ferrous products obtained by direct reduction of iron ore | MS | | | |
| 21 | 7203 | 90 | 000 | - Other | - | | | |
| | 720 | | | Ferrous waste and scrap; remelting scrap ingots of iron or s | teel | | | |
| 22 | 7204 | 10 | 000 | - Waste and scrap of cast iron | - | | | |
| | | | | - Waste and scrap of alloy steel: | | | | |
| 23 | 7204 | 21 | 000 | Of stainless steel | - | | | |
| 24 | 7204 | 29 | 000 | Other | - | | | |
| 25 | 7204 | 30 | 000 | - Waste and scrap of tinned iron or steel | - | | | |
| | 7204 | 41 | | - Turnings, shavings, chips, milling waste, sawdust, fillings, stampings, whether or not in bundles: | trimmings and | | | |
| 26 | 7204 | 41 | 100 | Of tin plate | - | | | |
| 27 | 7204 | 41 | 900 | Other | - | | | |
| | | | | | | | | |

| | 7204 | 49 | | Other: | | | | |
|------|----------------|---|-----|---|----------------|--|--|--|
| 28 | 7204 | 49 | 100 | Of tin plate | - | | | |
| 29 | 7204 | 49 | 900 | Other | - | | | |
| 30 | 7204 | 50 | 000 | - Remelting scrap ingots | - | | | |
| 7205 | | | | Granules and powders, of pig iron, spiegeleisen, iron or steel | | | | |
| 31 | 7205 | 10 | 000 | - Granules | - | | | |
| | | <u>I</u> | | - Powders: | | | | |
| 32 | 7205 | 21 | 000 | Of alloy steel | - | | | |
| 33 | 33 7205 29 000 | | | Other | - | | | |
| | 720 | 7206 Iron and non-alloy steel in ingots or other primary forms (excluding iro | | | | | | |
| | 7206 | 10 | | heading 72.03) Ingots: | | | | |
| 34 | 7206 | 10 | 100 | - Containing by weight more than 0.6 % of carbon | MS | | | |
| 35 | 7206 | 10 | 900 | Other | MS | | | |
| 36 | 7206 | 90 | 000 | - Other | - | | | |
| | 720 | 7 | | Semi-finished products of iron or non-alloy steel | | | | |
| | | | | - Containing by weight less than 0.25% of carbon: | | | | |
| | 7207 | 11 | | Of rectangular (including square) cross-section, the width n | neasuring less | | | |
| | | | | than twice the thickness: | _ | | | |
| 37 | 7207 | 11 | 100 | Tin plate bars | - | | | |
| 38 | 7207 | 11 | 900 | Other | MS | | | |
| | 7207 | 12 | | Other, of rectangular (other than square) cross-section: | | | | |
| 39 | 7207 | 12 | 100 | Tin plate bars/slabs | - | | | |
| 40 | 7207 | 12 | 900 | Other | - | | | |
| | 7207 | 19 | | Other: | | | | |
| 41 | 7207 | 19 | 100 | Tin plate bars | - | | | |
| 42 | 7207 | 19 | 900 | Other | MS | | | |
| | 7207 | 20 | | - Containing by weight 0.25% or more of carbon: | | | | |
| | | | | Tin plate bars: | | | | |
| 43 | 7207 | 20 | 110 | containing by weight 0.6 % or more of carbon | - | | | |
| 44 | 7207 | 20 | 190 | other | - | | | |
| | | | | Other: | | | | |
| 45 | 7207 | 20 | 910 | containing by weight 0.6 % or more of carbon | MS | | | |
| 46 | 7207 | 20 | 990 | other | MS | | | |
| | 720 | 8 | | Flat-rolled products of iron or non-alloy steel, of a width of 600 hot-rolled, not clad, plated or coated |) mm or more, | | | |
| 47 | 7208 | 10 | 000 | - In coils, not further worked than hot-rolled, with patterns in relief | MS | | | |
| 48 | 7208 | 25 | 000 | Of a thickness of 4.75 mm or more | MS | | | |
| 49 | 7208 | 26 | 000 | Of a thickness of 3 mm or more but less than 4.75 mm | MS | | | |
| 50 | 7208 | 27 | 000 | Of a thickness of less than 3 mm | MS | | | |
| 51 | 7208 | 36 | 000 | Of a thickness exceeding 10 mm | MS | | | |
| 52 | 7208 | 37 | 000 | Of a thickness of 4.75 mm or more but not exceeding 10 mm | MS | | | |
| 53 | 7208 | 38 | 000 | Of a thickness of 3mm or more but less than 4.75 mm | MS | | | |
| | 7208 | 39 | | Of a thickness of less than 3 mm: | | | | |
| | | | | | | | | |

| 54 | 7208 | 39 | 100 | Containing by weight 0.6 % or more of carbon | MS |
|----|------|----|-----|---|-------------|
| 55 | 7208 | 39 | 910 | of a thickness of 0.17 mm or less | - |
| 56 | 7208 | 39 | 990 | other | MS |
| 57 | 7208 | 40 | 000 | - Not in coils, not further worked than hot-rolled, with patterns in relief | MS |
| 58 | 7208 | 51 | 000 | Of a thickness exceeding 10 mm | MS |
| 59 | 7208 | 52 | 000 | Of a thickness of 4.75 mm or more but not exceeding 10 mm | MS |
| 60 | 7208 | 53 | 000 | Of a thickness of 3 mm or more but less than 4.75 mm | MS |
| | 7208 | 54 | | Of a thickness of less than 3 mm: | |
| 61 | 7208 | 54 | 100 | Containing by weight 0.6 % or more of carbon | MS |
| 62 | 7208 | 54 | 910 | of a thickness of 0.17 mm or less | - |
| 63 | 7208 | 54 | 990 | other | MS |
| | 7208 | 90 | | - Other: | |
| 64 | 7208 | 90 | 100 | Containing by weight 0.6 % or more of carbon | MS |
| 65 | 7208 | 90 | 200 | Corrugated | FNS |
| 66 | 7208 | 90 | 910 | of a thickness of 0.17 mm or less | - |
| 67 | 7208 | 90 | 990 | other | MS |
| | 720 | 9 | | Flat-rolled products of iron or non-alloy steel, of a width of 600 cold-rolled (cold-reduced), not clad, plated or coated | mm or more, |
| | | | | - In coils, not further worked than cold-rolled (cold-reduced): | |
| 68 | 7209 | 15 | 000 | Of a thickness of 3 mm or more | ISO |
| 69 | 7209 | 16 | 000 | Of a thickness exceeding 1 mm but less than 3 mm | ISO |
| 70 | 7209 | 17 | 000 | Of a thickness of 0.5 mm or more but not exceeding 1 mm | ISO |
| | 7209 | 18 | | Of a thickness of less than 0.5 mm: | |
| 71 | 7209 | 18 | 100 | Containing by weight 0.6 % or more of carbon | ISO |
| 72 | 7209 | 18 | 910 | of a thickness of 0.17 mm or less | ISO |
| 73 | 7209 | 18 | 990 | other | ISO |
| | | | | - Not in coils, not further worked than cold-rolled (cold-reduced | i): |
| 74 | 7209 | 25 | 000 | Of a thickness of 3 mm or more | ISO |
| 75 | 7209 | 26 | 000 | Of a thickness exceeding 1mm but less than 3 mm | ISO |
| 76 | 7209 | 27 | 000 | Of a thickness of 0.5 mm or more but not exceeding 1 mm | ISO |
| | 7209 | 28 | | - Of a thickness of less than 0.5 mm: | |
| 77 | 7209 | 28 | 100 | Containing by weight 0.6% or more of carbon | ISO |
| 78 | 7209 | 28 | 910 | of a thickness of 0.17 mm or less | ISO |
| 79 | 7209 | 28 | 990 | other | ISO |
| | 7209 | 90 | | Other: | |
| 80 | 7209 | 90 | 100 | containing by weight 0.6 % or more of carbon | ISO |
| 81 | 7209 | 90 | 200 | Corrugated | FNS |
| 82 | 7209 | 90 | 900 | Other | ISO |
| | 721 | 0 | | Flat rolled products of iron or non-alloy steel, of a width of 600 clad, plated or coated | mm or more, |
| | | | | - Plated or coated with tin: | |
| | 7210 | 11 | | Of a thickness of 0.5 mm or more: | |
| 83 | 7210 | 11 | 100 | Containing by weight of 0.6 % or more of carbon | FNS |
| | I | l | | , | |

| 84 | 7210 | 11 | 900 | Other | ISO |
|-----|------|----|-----|--|-----|
| | 7210 | 12 | | Of a thickness of less than 0.5 mm: | |
| 85 | 7210 | 12 | 100 | containing by weight 0.6 % or more of carbon | FNS |
| 86 | 7210 | 12 | 900 | other | FNS |
| | 7210 | 20 | | - Plated or coated with lead, including terne-plate: | |
| 87 | 7210 | 20 | 100 | Containing by weight of 0.6 % or more of carbon | - |
| 88 | 7210 | 20 | 910 | 1.5 mm or less in thickness | ISO |
| 89 | 7210 | 20 | 920 | more than 1.5 mm in thickness | ISO |
| | 7210 | 30 | | - Electrolytically plated or coated with zinc: | |
| 90 | 7210 | 30 | 100 | Containing by weight of 0.6 % or more of carbon | FNS |
| 91 | 7210 | 30 | 910 | 1.5 mm or less in thickness | ISO |
| 92 | 7210 | 30 | 920 | more than 1.5 mm but less than 3 mm in thickness | ISO |
| 93 | 7210 | 30 | 990 | other | ISO |
| | 7210 | 41 | | Corrugated: | |
| 94 | 7210 | 41 | 100 | Containing by weight 0.6 % or more of carbon | MS |
| 95 | 7210 | 41 | 910 | 1.5 mm or less in thickness | MS |
| 96 | 7210 | 41 | 990 | other | MS |
| | 7210 | 49 | | Other: | |
| 97 | 7210 | 49 | 100 | Containing by weight 0.6 % or more of carbon | MS |
| 98 | 7210 | 49 | 910 | 1.5 mm or less in thickness | MS |
| 99 | 7210 | 49 | 990 | other | MS |
| 100 | 7210 | 50 | 000 | - Plated or coated with chromium oxides or with chromium and chromium oxides | ISO |
| | 7210 | 61 | | Plated or coated with aluminium-zinc alloys: | |
| | | | | Corrugated: | |
| 101 | 7210 | 61 | 110 | containing by weight 0.6 % or more of carbon | MS |
| 102 | 7210 | 61 | 210 | 1.5 mm or less in thickness | MS |
| 103 | 7210 | 61 | 220 | more than 1.5 mm in thickness | MS |
| | | | | Other: | |
| 104 | 7210 | 61 | 910 | containing by weight of 0.6 % or more of carbon | MS |
| 105 | 7210 | 61 | 921 | 1.5 mm or less in thickness | MS |
| 106 | 7210 | 61 | 922 | more than 1.5 mm in thickness | MS |
| | 7210 | 69 | | Other: | |
| 107 | 7210 | 69 | 100 | Containing by weight 0.6 % or more of carbon | FNS |
| 108 | 7210 | 69 | 910 | 1.5 mm or less in thickness | FNS |
| 109 | 7210 | 69 | 920 | more than 1.5 mm in thickness | FNS |
| | 7210 | | | - Painted, varnished or coated with plastics: | |
| 110 | 7210 | 70 | 100 | Containing by weight 0.6 % or more of carbon | FNS |
| 111 | 7210 | 70 | 910 | 1.5 mm or less in thickness | FNS |
| 112 | 7210 | 70 | 920 | more than 1.5 mm in thickness | FNS |
| | 7210 | | | - Other: | |
| 113 | 7210 | 90 | 100 | Containing by weight 0.6 % or more of carbon | FNS |
| 114 | 7210 | 90 | 910 | 1.5 mm or less in thickness | FNS |
| 115 | 7210 | 90 | 920 | more than 1.5 mm in thickness | FNS |

| | 721 | 1 | | Flat rolled products of iron or non-alloy steel, of a width of not clad, plated or coated | less than 600 mm, | | | |
|-----|------|----|-----|--|-------------------|--|--|--|
| | | | | - Not further worked than hot rolled: | | | | |
| | 7211 | 13 | | Rolled on four faces or in a close box pass, of a width exe and a thickness of not less than 4 mm, not in coils and with relief: | | | | |
| | | | | Containing by weight 0.6% or more of carbon: | | | | |
| 116 | 7211 | 13 | 110 | universal plates | MS | | | |
| | | | | Hoop and strip: | | | | |
| 117 | 7211 | 13 | 121 | exceeding 150 mm but not exceeding 400 mm in width | MS | | | |
| 118 | 7211 | 13 | 129 | other | MS | | | |
| 119 | 7211 | 13 | 190 | other | MS | | | |
| | | | | Other: | | | | |
| 120 | 7211 | 13 | 910 | universal plates | MS | | | |
| | | | | Hoop and strip: | | | | |
| 121 | 7211 | 13 | 921 | exceeding 150 mm but not exceeding 400 mm in width | MS | | | |
| 122 | 7211 | 13 | 929 | other | MS | | | |
| 123 | 7211 | 13 | 940 | corrugated | - | | | |
| 124 | 7211 | 13 | 990 | other | MS | | | |
| | 7211 | 14 | | Other, of thickness of 4.75 mm or more: | | | | |
| | | | | Containing by weight 0.6% or more of carbon: | | | | |
| 125 | 7211 | 14 | 110 | universal plates | MS | | | |
| 0 | 1 | | 10 | Hoop and strip: | | | | |
| 126 | 7211 | 14 | 121 | not exceeding 25 mm in width | MS | | | |
| 127 | 7211 | 14 | 122 | exceeding 25 mm but not exceeding 400 mm in width | MS | | | |
| 128 | 7211 | 14 | 129 | other | MS | | | |
| 129 | 7211 | 14 | 190 | other | MS | | | |
| 123 | 1211 | 17 | 130 | Other: | IVIO | | | |
| 130 | 7211 | 14 | 910 | universal plates | MS | | | |
| 130 | 7211 | 14 | 910 | Hoop and strip: | IVIO | | | |
| 131 | 7211 | 14 | 921 | not exceeding 25 mm in width | MS | | | |
| | | | | | | | | |
| 132 | 7211 | 14 | 922 | exceeding 25 mm but not exceeding 400 mm in width | MS | | | |
| 133 | 7211 | 14 | 929 | other | MS | | | |
| 134 | 7211 | 14 | 930 | coils for re-rolling | FNS | | | |
| 135 | 7211 | 14 | 950 | corrugated | - | | | |
| 136 | 7211 | 14 | 990 | other | MS | | | |
| | 7211 | 19 | | Other: | | | | |
| | | | | Containing by weight 0.6% or more of carbon: | | | | |
| | | ı | | Hoop and strip: | | | | |
| 137 | 7211 | 19 | 111 | not exceeding 25 mm in width | MS | | | |
| 138 | 7211 | 19 | 112 | exceeding 25 mm but not exceeding 400 mm in width | MS | | | |
| 139 | 7211 | 19 | 119 | other | MS | | | |
| 140 | 7211 | 19 | 190 | other | MS | | | |
| | | | | Other: | | | | |
| | | | | Hoop and strip: | | | | |
| | | | | Hoop and strip: | | | | |

| 141 | 7211 | 19 | 911 | not exceeding 25 mm in width | MS |
|-----|------|----|-----|--|----------|
| 142 | 7211 | 19 | 912 | exceeding 25 mm but not exceeding 400 mm in width | MS |
| 143 | 7211 | 19 | 919 | other | MS |
| 144 | 7211 | 19 | 920 | coils for re-rolling | ISO |
| 145 | 7211 | 19 | 940 | corrugated | - |
| 146 | 7211 | 19 | 991 | of a thickness of 0.17 mm or less | MS |
| 147 | 7211 | 19 | 999 | other | MS |
| | | | | - Not further worked than cold-rolled (cold-reduced): | |
| | 7211 | 23 | | Containing by weight less than 0.25% of carbon: | |
| | | | | Hoop and strip: | |
| 148 | 7211 | 23 | 110 | not exceeding 25 mm in width | ISO |
| 149 | 7211 | 23 | 120 | exceeding 25 mm but not more than 400 mm in width | ISO |
| 150 | 7211 | 23 | 190 | other | ISO |
| 151 | 7211 | 23 | 300 | Corrugated | - |
| 152 | 7211 | 23 | 910 | of a thickness of 0.17 mm or less | FNS |
| 153 | 7211 | 23 | 990 | other | ISO |
| | 7211 | 29 | | Other: | |
| | | | | Containing by weight 0.25% or more but less than 0.6% of | carbon: |
| | | | | Hoop and strip: | |
| 154 | 7211 | 29 | 111 | not exceeding 25 mm in width | ISO |
| 155 | 7211 | 29 | 112 | exceeding 25 mm but not exceeding 400 mm in width | ISO |
| 156 | 7211 | 29 | 119 | other | ISO |
| 157 | 7211 | 29 | 130 | corrugated | - |
| 158 | 7211 | 29 | 191 | of a thickness of 0.17 mm or less | ISO |
| 159 | 7211 | 29 | 199 | other | ISO |
| | | | | Containing by weight 0.6% or more of carbon: | <u>.</u> |
| | | | | Hoop and strip: | |
| 160 | 7211 | 29 | 211 | not exceeding 25 mm in width | ISO |
| 161 | 7211 | 29 | 212 | exceeding 25 mm but not exceeding 400 mm in width | ISO |
| 162 | 7211 | 29 | 219 | other | ISO |
| 163 | 7211 | 29 | 290 | other | ISO |
| | 7211 | 90 | | Other: | |
| | | | | Containing by weight 0.6% or more of carbon: | |
| | | | | Hoop and strip: | |
| 164 | 7211 | 90 | 111 | not exceeding 25 mm in width | ISO |
| 165 | 7211 | 90 | 112 | exceeding 25 mm but not more than 400 mm in width | ISO |
| 166 | 7211 | 90 | 119 | other | ISO |
| 167 | 7211 | 90 | 190 | other | ISO |
| | | | | Other: | |
| | | | | Hoop and strip: | |
| 168 | 7211 | 90 | 911 | not exceeding 25 mm in width | ISO |
| 169 | 7211 | 90 | 912 | exceeding 25 mm but not more than 400 mm in width | ISO |
| 170 | 7211 | 90 | 919 | other | ISO |
| 171 | 7211 | 90 | 930 | corrugated | - |
| 172 | 7211 | 90 | 991 | of a thickness of 0.17 mm or less | ISO |

| 173 | 7211 | 90 | 999 | other | ISO | | |
|-----|------|----|-----|---|-----|--|--|
| | 721 | 2 | | Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated | | | |
| | 7212 | 10 | | - Plated or coated with tin: | | | |
| | | | | Containing by weight 0.6% or more of carbon: | | | |
| 174 | 7212 | 10 | 110 | universal plates | FNS | | |
| | | | | Hoop and strip: | | | |
| 175 | 7212 | 10 | 121 | not exceeding 25 mm in width | FNS | | |
| 176 | 7212 | 10 | 122 | exceeding 25 mm but not exceeding 400 mm in width | FNS | | |
| 177 | 7212 | 10 | 129 | other | FNS | | |
| 178 | 7212 | 10 | 190 | other | FNS | | |
| | | | | Other: | | | |
| | | | | Hoop and strip: | | | |
| 179 | 7212 | 10 | 911 | not exceeding 25 mm in width | FNS | | |
| 180 | 7212 | 10 | 912 | exceeding 25 mm but not exceeding 400 mm in width | FNS | | |
| 181 | 7212 | 10 | 919 | other | FNS | | |
| 182 | 7212 | 10 | 990 | other | FNS | | |
| | 7212 | 20 | | - Electrolytically plated or coated with zinc: | | | |
| | | | | Containing by weight more than 0.6% of carbon: | | | |
| 183 | 7212 | 20 | 110 | universal plates | ISO | | |
| | | | | Hoop and strip: | | | |
| 184 | 7212 | 20 | 121 | not exceeding 25 mm in width | ISO | | |
| 185 | 7212 | 20 | 122 | exceeding 25 mm but not exceeding 400 mm in width | ISO | | |
| 186 | 7212 | 20 | 129 | other | ISO | | |
| 187 | 7212 | 20 | 190 | other | ISO | | |
| | | | | Other: | | | |
| | | | | Hoop and strip: | | | |
| 188 | 7212 | 20 | 911 | not exceeding 25 mm in width | ISO | | |
| 189 | 7212 | 20 | 912 | exceeding 25 mm but not exceeding 400 mm in width | ISO | | |
| 190 | 7212 | 20 | 919 | other | ISO | | |
| 191 | 7212 | 20 | 991 | 1.5 mm or less in thickness | ISO | | |
| 192 | 7212 | 20 | 999 | other | ISO | | |
| | 7212 | 30 | | - Otherwise plated or coated with zinc: | | | |
| | | | | Containing by weight more than 0.6% of carbon: | | | |
| 193 | 7212 | 30 | 110 | universal plates | MS | | |
| | | | | Hoop and strip: | | | |
| 194 | 7212 | 30 | 121 | not exceeding 25 mm in width | MS | | |
| 195 | 7212 | 30 | 122 | exceeding 25 mm but not more than 400 mm in width | MS | | |
| 196 | 7212 | 30 | 129 | other | MS | | |
| 197 | 7212 | 30 | 190 | Other | MS | | |
| | | | | Other: | | | |
| | | | | Hoop and strip: | | | |
| 198 | 7212 | 30 | 911 | not exceeding 25 mm in width | MS | | |
| 199 | 7212 | 30 | 912 | exceeding 25 mm but not more than 400 mm in width | MS | | |
| 200 | 7212 | 30 | 919 | other | MS | | |

| 201 | 7212 | 30 | 991 | 1.5 mm or less in thickness | MS | | | |
|-----|------|----|-----|---|-----|--|--|--|
| 202 | 7212 | 30 | 999 | other | MS | | | |
| | 7212 | 40 | | - Painted, varnished or coated with plastics: | | | | |
| | | | | Containing by weight more than 0.6% of carbon: | | | | |
| 203 | 7212 | 40 | 110 | universal plates | FNS | | | |
| | | | | Hoop and strip: | | | | |
| 204 | 7212 | 40 | 121 | not exceeding 25 mm in width | FNS | | | |
| 205 | 7212 | 40 | 122 | exceeding 25 mm but not exceeding 400 mm in width | FNS | | | |
| 206 | 7212 | 40 | 129 | other | FNS | | | |
| 207 | 7212 | 40 | 190 | other | FNS | | | |
| | | | | Other: | | | | |
| | | | | Hoop and strip: | | | | |
| 208 | 7212 | 40 | 911 | not exceeding 25 mm in width | FNS | | | |
| 209 | 7212 | 40 | 912 | exceeding 25 mm but not exceeding 400 mm in width | FNS | | | |
| 210 | 7212 | 40 | 919 | other | FNS | | | |
| 211 | 7212 | 40 | 991 | 1.5 mm or less in thickness | FNS | | | |
| 212 | 7212 | 40 | 992 | more than 1.5 mm in thickness | FNS | | | |
| | 7212 | 50 | | - Otherwise plated or coated: | | | | |
| | | | | Containing by weight more than 0.6% of carbon: | | | | |
| 213 | 7212 | 50 | 110 | universal plates | MS | | | |
| | | | | Hoop and strip: | | | | |
| 214 | 7212 | 50 | 121 | not exceeding 25 mm in width | MS | | | |
| 215 | 7212 | 50 | 122 | exceeding 25 mm but not more than 400 mm in width | MS | | | |
| 216 | 7212 | 50 | 129 | other | MS | | | |
| 217 | 7212 | 50 | 190 | other | MS | | | |
| | | | | Other: | | | | |
| | | | | Hoop and strip: | | | | |
| 218 | 7212 | 50 | 911 | not exceeding 25 mm in width | MS | | | |
| 219 | 7212 | 50 | 912 | exceeding 25 mm but not more than 400 mm in width | MS | | | |
| 220 | 7212 | 50 | 919 | other | MS | | | |
| 221 | 7212 | 50 | 991 | 1.5 mm or less in thickness | MS | | | |
| 222 | 7212 | 50 | 992 | more than 1.5 mm in thickness | MS | | | |
| | 7212 | 60 | | - Clad: | | | | |
| | | | | Containing by weight more than 0.6% of carbon: | | | | |
| 223 | 7212 | 60 | 110 | universal plates | - | | | |
| | | | | Hoop and strip: | | | | |
| 224 | 7212 | 60 | 121 | not exceeding 25 mm in width | - | | | |
| 225 | 7212 | 60 | 122 | exceeding 25 mm but not more than 400 mm in width | - | | | |
| 226 | 7212 | 60 | 129 | other | - | | | |
| 227 | 7212 | 60 | 190 | other | - | | | |
| | | | | Other: | • | | | |
| | | | | Hoop and strip: | | | | |
| 228 | 7212 | 60 | 911 | not exceeding 25 mm in width | - | | | |
| 229 | 7212 | 60 | 912 | exceeding 25 mm but not more than 400 mm in width | - | | | |
| 230 | 7212 | 60 | 919 | other | - | | | |

| 7212 7212 60 992 more than 1.5 mm in thickness - 7213 7213 10 000 0 | 231 | 7212 | 60 | 991 | 1.5 mm or less in thickness | - | | |
|--|---|------|---------------|-----|--|--|--|--|
| 233 7213 10 000 Containing indentations, ribs, grooves or other deformations produced during the rolling process MS 234 7213 91 000 -Other, of free-cutting steel MS 236 7213 91 000 -Other of free-cutting steel MS 236 7213 99 000 -Other of Circular cross section measuring less than 14 mm in diameter MS 236 7213 y 000 -Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-crolled, hot-drawn or hot-extruded, but including those twisted after rolling: 237 7214 10 101 round FNS 238 7214 10 190 other FNS 239 7214 10 190 other FNS 240 7214 10 990 other FNS 241 7214 10 990 other FNS 242 7214 10 990 other FNS 242 7214 10 100 <td>232</td> <td>7212</td> <td>60</td> <td>992</td> <td>more than 1.5 mm in thickness</td> <td>-</td> | 232 | 7212 | 60 | 992 | more than 1.5 mm in thickness | - | | |
| | | 721 | 3 | | Bars and rods, hot-rolled, in irregularly wound coils, of iron or | non-alloy steel | | |
| 235 | 233 | 7213 | 10 | 000 | | MS | | |
| MS | 234 | 7213 | 20 | 000 | - Other, of free-cutting steel | MS | | |
| 7214 | 235 | 7213 | 91 | 000 | | MS | | |
| Togget, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling Forget | 236 7213 99 000 | | | | Other | MS | | |
| Containing by weight 0.6% or more of carbon: | | | | | forged, hot-rolled, hot-drawn or hot-extruded, but including the after rolling | | | |
| 237 7214 10 110 round FNS 238 7214 10 190 other FNS Cher: 239 7214 10 910 round MS 240 7214 10 990 other FNS **** *** **** *** *** *** *** *** *** | | 7214 | 10 | | | | | |
| 238 7214 10 190 other 239 7214 10 910 round MS 240 7214 10 990 other FNS 240 7214 20 990 other FNS 241 7214 20 100 round FNS 242 7214 20 190 other - 243 7214 20 90 other - 243 7214 30 90 other - 244 7214 30 90 other - 245 7214 30 90 other - 245 7214 9 30 0ther MS 246 7214 9 91 00 Containing steel 247 7214 91 91 00 Containing by weight 0.6 % or more of carbon - 248 7214 91 91 00 Cother: - | 007 | 7044 | 40 | 440 | | - FNO | | |
| 239 7214 10 910 100 | | | | | | | | |
| 239 7214 10 910 round MS 7214 20 7214 20 other FNS Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight 0.6% or more of carbon: Containing by weight 0.6% or more o | 238 | 7214 | 10 | 190 | | FNS | | |
| Page | 000 | 7044 | 4.0 | 040 | | 140 | | |
| Page | | | | | | | | |
| Containing by weight 0.6% or more of carbon: 241 | 240 | | | 990 | | | | |
| 241 7214 20 110 round FNS 242 7214 20 190 other - Cher: 243 7214 20 910 round MS 244 7214 20 990 other - 72143** - Of free-cutting steel: - Other: - Other: - Other: - Of rectangular (other than square) cross-section: - Other: | | 7214 | 20 | | | | | |
| 242 7214 20 190 other - 243 7214 20 910 round MS 244 721430 - Of free-cutting steel: 245 7214 91 30 900 Round MS 721491 - Other: - Of rectangular (other than square) cross-section: 247 7214 91 100 Containing by weight 0.6 % or more of carbon: - Other: Containing by weight 0.6% or more of carbon: Expan="8">249 7214 99 110 round FNS 250 7214 99 910 other 251 7214 99 99 other 251 7214 99 99 other 251 7214 99 99 <th colsp<="" td=""><td></td><td></td><td></td><td></td><td>Containing by weight 0.6% or more of carbon:</td><td></td></th> | <td></td> <td></td> <td></td> <td></td> <td>Containing by weight 0.6% or more of carbon:</td> <td></td> | | | | | Containing by weight 0.6% or more of carbon: | | |
| Other Other | 241 | 7214 | 20 | 110 | round | FNS | | |
| Yes Test T | 242 | 7214 | 20 | 190 | other | - | | |
| Tell | | | | | Other: | | | |
| T21430 | 243 | 7214 | 20 | 910 | round | MS | | |
| | 244 | 7214 | 20 | 990 | other | - | | |
| Tole | | 7214 | 30 | | - Of free-cutting steel: | | | |
| College | 245 | 7214 | 30 | 100 | Round | MS | | |
| T21491 | 246 | 7214 | 30 | 900 | Other | MS | | |
| 247 7214 91 100 Containing by weight 0.6 % or more of carbon - 248 7214 91 900 Other - 721499 Other: Containing by weight 0.6% or more of carbon: 249 7214 99 110 round FNS 250 7214 99 190 other FNS 251 7214 99 910 round FNS 252 7214 99 990 other FNS 7215 Other bars and rods of iron or non-alloy steel 721510 - Of free-cutting steel, not further worked than cold-formed or cold-finished: 253 7215 10 100 Round MS | | | | | - Other: | | | |
| 248 7214 91 900 Other - 721499 Other: Containing by weight 0.6% or more of carbon: 249 7214 99 110 round FNS 250 7214 99 190 other FNS Other: 251 7214 99 910 round FNS 252 7214 99 990 other FNS 7215 Other bars and rods of iron or non-alloy steel 721510 - Of free-cutting steel, not further worked than cold-formed or cold-finished: 253 7215 10 100 Round MS | | 7214 | 91 | | Of rectangular (other than square) cross-section: | | | |
| 721499 Other: Containing by weight 0.6% or more of carbon: 249 7214 99 110 round FNS 250 7214 99 190 other FNS 251 7214 99 910 round FNS 252 7214 99 990 other FNS 7215 Other bars and rods of iron or non-alloy steel 721510 - Of free-cutting steel, not further worked than cold-formed or cold-finished: 253 7215 10 100 Round MS | 247 | 7214 | 91 | 100 | Containing by weight 0.6 % or more of carbon | - | | |
| Containing by weight 0.6% or more of carbon: 249 7214 99 110 round FNS 250 7214 99 190 other FNS Cother: 251 7214 99 910 round FNS 252 7214 99 990 other FNS 7215 | 248 | 7214 | 91 | 900 | Other | - | | |
| 249 7214 99 110 round FNS 250 7214 99 190 other FNS Colspan="3">Colsp | | 7214 | 721499 Other: | | | | | |
| 250 7214 99 190 other FNS 251 7214 99 910 round FNS 252 7214 99 990 other FNS 7215 Other bars and rods of iron or non-alloy steel 721510 - Of free-cutting steel, not further worked than cold-formed or cold-finished: 253 7215 10 100 Round MS | | | | | Containing by weight 0.6% or more of carbon: | | | |
| Other: 251 7214 99 910 round FNS 252 7214 99 990 other FNS 7215 Other bars and rods of iron or non-alloy steel 721510 - Of free-cutting steel, not further worked than cold-formed or cold-finished: 253 7215 10 100 Round MS | 249 | 7214 | 99 | 110 | | | | |
| 251 7214 99 910 round FNS 252 7214 99 990 other FNS 7215 | 250 | 7214 | 99 | 190 | | FNS | | |
| 7215 Other bars and rods of iron or non-alloy steel 721510 Of free-cutting steel, not further worked than cold-formed or cold-finished: 253 7215 10 100 Round MS | | | | | Other: | | | |
| 7215 Other bars and rods of iron or non-alloy steel 721510 - Of free-cutting steel, not further worked than cold-formed or cold-finished: 253 7215 10 100 Round MS | | 7214 | | 910 | | | | |
| 721510- Of free-cutting steel, not further worked than cold-formed or cold-finished:253721510100RoundMS | 252 | 7214 | 99 | 990 | other | FNS | | |
| 253 7215 10 100 Round MS | | | | | • | | | |
| | | 7215 | 10 | | - Of free-cutting steel, not further worked than cold-formed or | cold-finished: | | |
| 254 7215 10 900 Other MS | 253 | 7215 | 10 | 100 | Round | MS | | |
| l l l l l l l l l l l l l l l l l l l | 254 | 7215 | 10 | 900 | Other | MS | | |
| 721550 - Other, not further worked than cold-formed or cold-finished: | | 7215 | 50 | | - Other, not further worked than cold-formed or cold-finished: | | | |

| 110 190 | round | MS | | | |
|---|---|---|--|--|--|
| 190 | | | | | |
| 100 | other | FNS | | | |
| | Other: | | | | |
| 910 | round | MS | | | |
| 990 | other | FNS | | | |
| | - Other: | | | | |
| 100 | Round | MS | | | |
| 900 | Other | FNS | | | |
| | Angles, shapes and sections of iron or non-alloy steel | | | | |
| | - U, I or H sections, not further worked than hot-rolled, hot-dra extruded, of height of less than 80 mm: | awn or | | | |
| 100 | of a thickness of 5 mm or less | MS | | | |
| 900 | other | MS | | | |
| | - L or T sections, not further worked than hot-rolled, hot-draw of height of less than 80 mm: | n or extruded, | | | |
| | L sections: | | | | |
| 100 | Containing by weight 0.6 % or more of carbon | - | | | |
| 900 | Other | MS | | | |
| | | | | | |
| | | MS | | | |
| 900 | | MS | | | |
| | extruded, of height of 80 mm or more: | awn or | | | |
| | | | | | |
| 100 | of a thickness 5 mm or less | MS | | | |
| 900 | | MS | | | |
| | I sections: | | | | |
| | of a thickness of 5 mm or less | MS | | | |
| 900 | | MS | | | |
| | | | | | |
| 100 | | MS | | | |
| Other: Steel H sections with thickness of flange not less than thickness of web: | | | | | |
| 911 | thickness of web of 9 mm and above | MS | | | |
| 919 | other | | | | |
| | Other: | | | | |
| | of a thickness of 5 mm or less | MS | | | |
| 999 | other | MS | | | |
| | - L or T sections, not further worked than hot-rolled, hot-draw of height of 80 mm or more: | n or extruded, | | | |
| 100 | L section | MS | | | |
| | Taastian | l . | | | |
| | T section: | | | | |
| | 100 900 900 100 900 | 990 other Other: 100 Round 900 Other Angles, shapes and sections of iron or non-alloy steel -U, I or H sections, not further worked than hot-rolled, hot-draw of height of less than 80 mm: 100 of a thickness of 5 mm or less 900 other -L or T sections, not further worked than hot-rolled, hot-draw of height of less than 80 mm: -L sections: 100 Containing by weight 0.6 % or more of carbon 900 Other -T sections: 100 of a thickness of 5 mm or less 900 other -U, I or H sections, not further worked than hot-rolled, hot-draw extruded, of height of 80 mm or more: -U sections: 100 of a thickness 5 mm or less 900 other -I sections: 100 of a thickness of 5 mm or less 900 other -I sections: 100 of a thickness of 5 mm or less 900 other -Sections: 100 of a thickness of 5 mm or less 900 other -H sections: 100 Containing by weight 0.6 % or more carbon Other: Steel H sections with thickness of flange not less than thickness of thickness of web of 9 mm and above 911 thickness of web of 9 mm and above 912 of a thickness of 5 mm or less 913 of a thickness of 5 mm or less 914 of a thickness of 5 mm or less 915 of a thickness of 5 mm or less 916 of a thickness of 5 mm or less 917 of a thickness of 5 mm or less 918 of a thickness of 5 mm or less 919 other -L or T sections, not further worked than hot-rolled, hot-draw of height of 80 mm or more: | | | |

| 278 | 7216 | 40 | 990 | other, T sections | MS |
|-----|------|----|-----|--|-----------------|
| | 7216 | 50 | | - Other angles, shapes and sections, not further worked than he drawn or extruded: | ot-rolled, hot- |
| | | | | Angles, other than slotted angles: | |
| | | | | Containing by weight 0.6 % or more carbon: | |
| 279 | 7216 | 50 | 111 | of a height of 80 mm or more | - |
| 280 | 7216 | 50 | 112 | of a height of less than 80 mm | - |
| | | | | Other: | |
| 281 | 7216 | 50 | 191 | of a height of 80 mm or more | MS |
| 282 | 7216 | 50 | 192 | of a height of less than 80 mm | MS |
| | | | | Shapes and sections: | |
| | | | | of a height of less than 80 mm: | |
| 283 | 7216 | 50 | 211 | of a thickness of 5 mm or less | MS |
| 284 | 7216 | 50 | 219 | other | MS |
| | | | | of a height of 80 mm or more: | |
| 285 | 7216 | 50 | 221 | of a thickness of 5 mm or less | MS |
| 286 | 7216 | 50 | 229 | other | MS |
| | | | | - Angles, shapes and sections, not further worked than cold-for finished: | ormed or cold- |
| | 7216 | 61 | | Obtained from flat-rolled products: | |
| | | | | Angles, other than slotted angles: | |
| | | | | Containing by weight 0.6 % or more carbon: | |
| 287 | 7216 | 61 | 111 | of a height of 80 mm or more | - |
| 288 | 7216 | 61 | 112 | of a height of less than 80 mm | - |
| | | | | Other: | |
| 289 | 7216 | 61 | 191 | of a height of 80mm or more | FNS |
| 290 | 7216 | 61 | 192 | of a height of less than 80 mm | FNS |
| | | | | Shapes and sections: | |
| 291 | 7216 | 61 | 211 | of a thickness of 5 mm or less | FNS |
| 292 | 7216 | 61 | 219 | other, shapes and sections | FNS |
| | 7216 | 69 | | Other: | |
| | | | | Angles, other than slotted angles: | |
| | | | | Containing by weight 0.6 % or more carbon: | |
| 293 | 7216 | 69 | 111 | of a height of 80 mm or more | - |
| 294 | 7216 | 69 | 112 | of a height of less than 80 mm | - |
| | | | | Other: | |
| 295 | 7216 | 69 | 191 | of a height of 80 mm or more | - |
| 296 | 7216 | 69 | 192 | of a height of less than 80 mm | - |
| | | | | Shapes and sections: | |
| 297 | 7216 | 69 | 211 | of a thickness of 5 mm or less | FNS |
| 298 | 7216 | 69 | 219 | other, shapes and sections | FNS |
| | 7216 | 91 | | - Other: | |
| | | | | Cold-formed or cold-finished from flat-rolled products: | |
| | | | | Angles, other than slotted angles: | |
| | | | | Containing by weight 0.6 % or more carbon: | |

| 299 | 7216 | 91 | 111 | of a height of 80 mm or more | - |
|--|--|--|---|--|---|
| 300 | 7216 | 91 | 112 | of a height of less than 80 mm | - |
| | | | | Other: | |
| 301 | 7216 | 91 | 191 | of a height of 80 mm or more | - |
| 302 | 7216 | 91 | 192 | of a height of less than 80 mm | - |
| | | | | Shapes and sections: | |
| 303 | 7216 | 91 | 211 | of a thickness of 5 mm or less | - |
| 304 | 7216 | 91 | 219 | other, shapes and sections | - |
| 305 | 7216 | 91 | 300 | Slotted angles, roll-formed from pure-punched steel strips, whether or not painted or galvanised | - |
| | 7216 | 99 | | Other: | |
| | | | | Angles, other than slotted angles: | |
| | | | | Containing by weight 0.6 % or more carbon: | |
| 306 | 7216 | 99 | 111 | of a height of 80 mm or more | - |
| 307 | 7216 | 99 | 112 | of a height of less than 80 mm | - |
| | L | | | Other: | |
| 308 | 7216 | 99 | 191 | of a height of 80 mm or more | - |
| 309 | 7216 | 99 | 192 | of a height of less than 80 mm | - |
| | | | | Shapes and sections: | |
| 310 | 7216 | 99 | 211 | of a thickness of 5 mm or less | - |
| 311 | 7216 | 99 | 219 | other, shapes and sections | - |
| 312 | 7216 | 99 | 300 | Slotted angles, roll-formed from pure-punched steel strips, whether or not painted or galvanised | - |
| | 721 | 7 | | Wire of iron and non-alloy steel | |
| 313 | 7217 | 10 | 000 | - Not plated or coated, whether or not polished | MS |
| ~ 4 4 | 7217 | 20 | 000 | - Plated or coated with zinc | MS |
| 314 | | | | - Plated or coated with other base metals | |
| 314 | 7217 | 30 | 000 | riated or obdited with other base metals | ISO |
| | | | 000 | - Other | ISO FNS |
| 315 | 7217 | 30 90 | | - Other Stainless steel in ingots or other primary forms; semi-finished | FNS |
| 315 | 7217 7217 | 30 90 | | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel | FNS |
| 315 316 | 7217 7217 721 | 30 90 8 | 000 | - Other Stainless steel in ingots or other primary forms; semi-finished | FNS |
| 315 316 317 | 7217 7217 721 7218 | 30 90 8 | 000 | Other Stainless steel in ingots or other primary forms; semi-finished stainless steel Ingots and other primary forms | FNS d products of |
| 315 316 317 318 | 7217 7217 721 7218 7218 | 30 90 8 10 91 99 | 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section | FNS d products of - MS MS |
| 315 316 317 318 | 7217 7217 721 7218 7218 7218 | 30 90 8 10 91 99 | 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other | FNS d products of - MS MS |
| 315 316 317 318 | 7217 7217 721 7218 7218 7218 | 30 90 8 10 91 99 | 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm or | FNS d products of - MS MS |
| 315 316 317 318 319 | 7217 7217 721 7218 7218 7218 721 | 30 90 8 10 91 99 | 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm of the section | FNS d products of - MS MS r more |
| 315 316 317 318 319 320 | 7217 7217 721 7218 7218 7218 721 | 30 90 8 10 91 99 9 | 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm of Not further worked than hot-rolled, in coils: - Of a thickness exceeding 10 mm | FNS d products of - MS MS r more |
| 315 316 317 318 319 320 321 | 7217 7217 7218 7218 7218 7218 7219 7219 | 30 90 8 10 91 99 9 | 000 000 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm or one of the section of the | FNS d products of - MS MS r more MS MS |
| 315 316 317 318 319 320 321 322 | 7217 7217 7218 7218 7218 7218 7219 7219 | 30 90 8 10 91 99 9 11 12 13 | 000 000 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm of the Not further worked than hot-rolled, in coils: - Of a thickness exceeding 10 mm - Of a thickness 4.75 mm or more but not exceeding 10 mm - Of a thickness of 3 mm or more but less than 4.75 mm | FNS d products of |
| 315 316 317 318 319 320 321 322 | 7217 7217 7218 7218 7218 7218 7219 7219 | 30 90 8 10 91 99 9 11 12 13 | 000 000 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm or noted than hot-rolled, in coils: - Of a thickness exceeding 10 mm - Of a thickness of 3 mm or more but not exceeding 10 mm - Of a thickness of less than 3 mm | FNS d products of |
| 315 316 317 318 319 320 321 322 323 | 7217 7217 7218 7218 7218 7218 7219 7219 7219 7219 | 30 90 8 10 91 99 9 11 12 13 14 | 000 000 000 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm of the stainless exceeding 10 mm - Of a thickness exceeding 10 mm - Of a thickness of 3 mm or more but less than 4.75 mm - Of a thickness of less than 3 mm - Not further worked than hot-rolled, not in coils: | FNS d products of |
| 315 316 317 318 319 320 321 322 323 | 7217 7217 7218 7218 7218 7218 7219 7219 7219 7219 | 30 90 8 10 91 99 9 11 12 13 14 | 000 000 000 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm or noted that hot-rolled, in coils: - Of a thickness exceeding 10 mm - Of a thickness of 3 mm or more but not exceeding 10 mm - Of a thickness of less than 3 mm - Not further worked than hot-rolled, not in coils: - Of a thickness exceeding 10 mm | FNS d products of |
| 315 316 317 318 319 320 321 322 323 324 325 | 7217 7217 7218 7218 7218 7218 7219 7219 7219 7219 7219 | 30 90 8 10 91 99 9 11 12 13 14 | 000 000 000 000 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm of the stainless exceeding 10 mm - Of a thickness exceeding 10 mm - Of a thickness of 3 mm or more but not exceeding 10 mm - Of a thickness of less than 3 mm - Not further worked than hot-rolled, not in coils: - Of a thickness exceeding 10 mm - Of a thickness of less than 3 mm - Not further worked than hot-rolled, not in coils: - Of a thickness exceeding 10 mm - Of a thickness of 4.75 mm or more but not exceeding 10 mm | FNS d products of - MS MS MS T more MS |
| 315 316 317 318 319 320 321 322 323 324 325 326 | 7217 7217 7218 7218 7218 7218 7219 7219 7219 7219 7219 7219 | 30 90 8 10 91 99 9 11 12 13 14 21 22 23 | 000 000 000 000 000 000 000 000 000 | - Other Stainless steel in ingots or other primary forms; semi-finished stainless steel - Ingots and other primary forms - Of rectangular (other than square) cross-section - Other Flat rolled products of stainless steel, of a width of 600 mm of the stainless exceeding 10 mm - Of a thickness exceeding 10 mm - Of a thickness of 3 mm or more but not exceeding 10 mm - Of a thickness of less than 3 mm - Not further worked than hot-rolled, not in coils: - Of a thickness exceeding 10 mm - Of a thickness exceeding 10 mm - Of a thickness of 4.75 mm or more but not exceeding 10 mm - Of a thickness of 4.75 mm or more but not exceeding 10 mm - Of a thickness of 3 mm or more but less than 4.75 mm | FNS d products of |

| 328 | 7219 | 31 | 000 | Of a thickness of 4.75 mm or more | MS | | |
|-----|---------------------|----------|-----|--|-----------|--|--|
| 329 | 7219 | 32 | 000 | Of a thickness of 3 mm or more but less than 4.75 mm | MS | | |
| 330 | 7219 | 33 | 000 | Of a thickness exceeding 1 mm but less than 3 mm | MS | | |
| 331 | 7219 | 34 | 000 | Of a thickness of 0.5 mm or more but not exceeding 1 mm | MS | | |
| 332 | 7219 | 35 | 000 | Of a thickness of less than 0.5 mm | MS | | |
| 333 | 7219 | 90 | 000 | - Other | FNS | | |
| | 722 | 0 | | Flat-rolled products of stainless steel, of a width of less than 6 | 600 mm | | |
| | | | | - Not further worked than hot-rolled: | | | |
| | 722011 | | | Of a thickness of 4.75 mm or more: | | | |
| 334 | 7220 | 11 | 100 | universal plates | MS | | |
| | | <u>I</u> | | Hoop and strip: | | | |
| 335 | 7220 | 11 | 210 | not exceeding 25 mm in width | MS | | |
| 336 | 7220 | 11 | 220 | exceeding 25 mm but not exceeding 400 mm in width | MS | | |
| 337 | 7220 | 11 | 290 | other | MS | | |
| 338 | 7220 | 11 | 900 | other | MS | | |
| | 7220 | 12 | | Of a thickness of less than 4.75 mm: | | | |
| | | | | Hoop and strip: | | | |
| 339 | 7220 | 12 | 110 | not exceeding 25 mm in width | MS | | |
| 340 | 7220 | 12 | 120 | exceeding 25 mm but not exceeding 400 mm in width | MS | | |
| 341 | 7220 | 12 | 190 | other | MS | | |
| 342 | 7220 | 12 | 900 | Other | MS | | |
| | 7220 | 20 | | - Not further worked than cold-rolled (cold-redcuced): | | | |
| | | | | Hoop and strip: | | | |
| 343 | 7220 | 20 | 110 | not exceeding 25 mm in width | MS | | |
| 344 | 7220 | 20 | 120 | exceeding 25 mm but not exceeding 400 mm in width | MS | | |
| 345 | 7220 | 20 | 190 | other | MS | | |
| 346 | 7220 | 20 | 900 | Other | MS | | |
| | 7220 | 90 | | - Other: | | | |
| 347 | 7220 | 90 | 110 | not exceeding 25 mm in width | MS | | |
| 348 | 7220 | 90 | 120 | exceeding 25 mm but not exceeding 400 mm in width | MS | | |
| 349 | 7220 | 90 | 190 | other | MS | | |
| 350 | 7220 | 90 | 900 | Other | MS | | |
| | 722 | 1 | | Bars and rods, hot-rolled, in irregularly wound coils, of stainle | ss steel. | | |
| 351 | 7221 | 00 | 000 | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel. | MS | | |
| | 722 | 2 | 1 | Other bars and rods of stainless steel; angles, shapes and see | ctions of | | |
| | | | | stainless steel | | | |
| 252 | 7222 | 11 | 000 | - Bars and rods, not further worked than hot-rolled, hot-drawn Of circular cross-section | FNS | | |
| 352 | | | 000 | Of circular cross-section Other | FNS | | |
| 353 | 7222 7222 | 19 | 000 | - Bars and rods, not further worked than cold-formed or cold-f | | | |
| 354 | 7222 | 20 | 100 | Round | MS | | |
| | | | | Other | MS | | |
| 355 | 7222 7222 | 20 | 900 | - Other bars and rods: | IVIO | | |
| 356 | 7222 | 30 | 100 | Round | MS | | |
| 330 | 1222 | 30 | 100 | Nouna | IVIO | | |

| Stapes and sections: | 357 | 7222 | 30 | 900 | Other | MS |
|--|-----|--------|----|-----|---|-----------------|
| 1722 40 110 0f a height of 80 mm or more MS 359 7222 40 120 of a height of less than 80 mm | | 7222 | 40 | | - Angles, shapes and sections: | |
| Stapes and sections: | | | | | Angles, other than slotted sections: | |
| Shapes and sections: | 358 | 7222 | 40 | 110 | of a height of 80 mm or more | MS |
| Second Color Col | 359 | 7222 | 40 | 120 | of a height of less than 80 mm | |
| MS MS MS MS MS MS MS MS | | | | | Shapes and sections: | <u>.</u> |
| 361 7222 40 219 other | | | | | of a height of 80 mm or more: | |
| | 360 | 7222 | 40 | 211 | of a thickness of less than 5 mm | MS |
| 362 7222 40 221 of a thickness of less than 5 mm MS 363 7222 40 229 other MS 364 7222 40 300 Slotted angles, roll-formed from pure-punched steel strips, whether or not painted or galvanised Vacuation of the primary of the primary to the primary to the primary forms; 365 7223 00 000 Wire of stainless steel - To 224 90 000 - Ingots and other primary forms - Flat rolled products of other alloy steel, of a width of 600 mm or more Flat rolled products of other alloy steel, of a width of 600 mm or more Flat rolled products of other alloy steel, of a width of 600 mm or more Flat rolled products of other alloy steel, of a width of 600 mm or more Flat rolled products of other alloy steel, of a width of 600 mm or more Flat rolled products of other alloy steel, of a width of 600 mm or more Flat rolled products of turber worked than hot-rolled, in coils FNS Flat rolled products of turber worked than bot-rolled, in coils FNS Flat rolled products of cated with z | 361 | 7222 | 40 | 219 | other | MS |
| 363 7222 40 229 other MS | | | | | | |
| | 362 | 7222 | 40 | 221 | of a thickness of less than 5 mm | MS |
| Whether or not painted or galvanised Whether or not painted or galvanised T223 | 363 | 7222 | 40 | 229 | other | MS |
| 365 7224 7224 7225 7 | 364 | 7222 | 40 | 300 | , , | |
| 7224 10 000 - Ingots and other primary forms; semi-finished products of other alloy steel - | | 722 | 3 | | Wire of stainless steel. | |
| other alloy steel 366 7224 10 000 - Ingots and other primary forms - 7225 Flat rolled products of other alloy steel, of a width of 600 mm or more - Of silicon-electrical steel: - Of silicon-electrical steel: - Silicon-electrical steel: - FNS 368 7225 11 000 - Other FNS 369 7225 30 000 - Other, not further worked than hot-rolled, in coils - - Other, not further worked than hot-rolled, not in coils FNS 371 7225 50 000 - Other, not further worked than hot-rolled, not in coils FNS - Other: - Other: - Other: - Other: - Other: - Other - Other - Other - Other - Other: - Othigh speed steel: **Total ** **Total **A **Total **A * | 365 | 7223 | 00 | 000 | Wire of stainless steel | - |
| Total Section Sectio | | 722 | 4 | | | hed products of |
| T225 | 366 | 7224 | 10 | 000 | - Ingots and other primary forms | - |
| - Of silicon-electrical steel: Seel: See | 367 | 7224 | 90 | 000 | - Other | - |
| 368 7225 11 000 Grain-oriented FNS 369 7225 19 000 - Other Other FNS 370 7225 30 000 - Other, not further worked than hot-rolled, in coils - 371 7225 40 000 - Other, not further worked than hot-rolled, not in coils FNS 372 7225 50 000 - Other, not further worked than cold-rolled (cold-reduced) - Other: Other: | | 722 | 5 | | Flat rolled products of other alloy steel, of a width of 600 mm | or more |
| 1 | | | | | - Of silicon-electrical steel: | |
| 370 7225 30 000 - Other, not further worked than hot-rolled, in coils - | 368 | 7225 | 11 | 000 | Grain-oriented | FNS |
| 7225 40 000 - Other, not further worked than hot-rolled, not in coils FNS 372 7225 50 000 - Other, not further worked than cold-rolled (cold-reduced) - - Other: - Other: - Other: - Otherwise plated or caoted with zinc - - Otherwise plated or coated with zinc - - - - - - - - - | 369 | 7225 | 19 | 000 | Other | FNS |
| 7225 50 000 - Other, not further worked than cold-rolled (cold-reduced) - Other: - Othe | 370 | 7225 | 30 | 000 | - Other, not further worked than hot-rolled, in coils | - |
| - Other: 373 7225 91 000 Electrolytically plated or caoted with zinc | 371 | 7225 | 40 | 000 | - Other, not further worked than hot-rolled, not in coils | FNS |
| 373 7225 91 000 Electrolytically plated or caoted with zinc - | 372 | 7225 | 50 | 000 | - Other, not further worked than cold-rolled (cold-reduced) | - |
| 374 7225 92 000 Otherwise plated or coated with zinc - | | | | | - Other: | |
| T225 99 000 Other | 373 | 7225 | 91 | 000 | Electrolytically plated or caoted with zinc | - |
| Total Flat-rolled products of other alloy steel, of a width of less than 600 mm Of silicon-electrical steel: | 374 | 7225 | 92 | 000 | Otherwise plated or coated with zinc | - |
| - Of silicon-electrical steel: 722611 Grain-oriented: Hoop and strip, of a width: 376 7226 11 110 not exceeding 400 mm in width FNS 377 7226 11 190 other, hoop and strip FNS 378 7226 11 900 Other FNS 722619 Other: Hoop and strip, of a width: 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | 375 | 7225 | 99 | 000 | | - |
| 722611 Grain-oriented: Hoop and strip, of a width: 376 7226 11 110 not exceeding 400 mm in width FNS 377 7226 11 190 other, hoop and strip FNS 378 7226 11 900 Other FNS T22619 Other: Hoop and strip, of a width: 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | | 722 | 6 | | | an 600 mm |
| Hoop and strip, of a width: 376 7226 11 110 not exceeding 400 mm in width FNS 377 7226 11 190 other, hoop and strip FNS FNS 722619 FNS | | | | | | |
| 376 7226 11 110 not exceeding 400 mm in width FNS 377 7226 11 190 other, hoop and strip FNS 7226 11 900 Other FNS 722619 Other: Hoop and strip, of a width: 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | | 7226 | 11 | | | |
| 377 7226 11 190 other, hoop and strip FNS 722619 Other: Hoop and strip, of a width: 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | | | | | | |
| 378 7226 11 900 Other FNS 722619 Other: Hoop and strip, of a width: 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | 376 | | | | | |
| 722619 Other: Hoop and strip, of a width: 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | | | | | | |
| Hoop and strip, of a width: 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | 378 | | | 900 | | FNS |
| 379 7226 19 110 not exceeding 400 mm in width FNS 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | | 722619 | | | | |
| 380 7226 19 190 other, hoop and strip FNS 381 7226 19 900 Other FNS 722620 - Of high speed steel: | | | | | | |
| 381 7226 19 900 Other FNS 722620 - Of high speed steel: | 379 | | | | | |
| 722620 - Of high speed steel: | | | | | · | |
| | 381 | | | 900 | | FNS |
| | | 7226 | 20 | | . | |
| Hoop and strip, of a width: | | | | | Hoop and strip, of a width: | |

| 382 | 7226 | 20 | 110 | not exceeding 25 mm in width | - | | |
|---|--|---|--|--|-------------------------------------|--|--|
| 383 | 7226 | 20 | 120 | exceeding 25 mm but not exceeding 400 mm in width | - | | |
| 384 | 7226 | 20 | 190 | other | - | | |
| 385 | 7226 | 20 | 900 | Other | - | | |
| 722691 | | | | Not further worked than hot-rolled: | | | |
| | | | | Hoop and strip, of a width: | | | |
| 386 | 7226 | 91 | 110 | not exceeding 25 mm in width | - | | |
| 387 | 7226 | 91 | 120 | exceeding 25 mm but not exceeding 400 mm in width | - | | |
| 388 | 7226 | 91 | 190 | other | - | | |
| 389 | 7226 | 91 | 900 | Other | - | | |
| | 7226 | 92 | | Not further worked than cold-rolled (cold-reduced): | • | | |
| | | | | Hoop and strip, of a width: | | | |
| 390 | 7226 | 92 | 110 | not exceeding 25 mm in width | - | | |
| 391 | 7226 | 92 | 120 | exceeding 25 mm but not exceeding 400 mm in width | - | | |
| 392 | 7226 | 92 | 190 | other | - | | |
| 393 | 7226 | 92 | 900 | Other | - | | |
| | 7226 | 99 | | Other: | | | |
| | | | | Hoop and strip, of a width: | | | |
| 394 | 7226 | 99 | 110 | not exceeding 25 mm in width | - | | |
| 395 | 7226 | 99 | 120 | exceeding 25 mm but not exceeding 400 mm in width | - | | |
| 396 | 7226 | 99 | 190 | other | - | | |
| 397 | 7226 | 99 | 900 | Other | - | | |
| 7227 | | | | Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel | | | |
| | | | | | • | | |
| 398 | 7227 | 10 | 000 | - Of high speed steel | ISO | | |
| 398 399 | 7227 | 10 20 | 000 | - Of silico-manganese steel | | | |
| | 7227 7227 | 20 90 | | - Of silico-manganese steel - Other | ISO MS | | |
| 399 | 7227 | 20 90 | 000 | - Of silico-manganese steel | ISO MS - ons, of other | | |
| 399 | 7227 7227 | 20 90 8 | 000 | Of silico-manganese steel Other Other bars and rods of alloy steel; angles, shapes and section | ISO MS - ons, of other | | |
| 399 | 7227 7227 722 | 20 90 8 | 000 | Of silico-manganese steel Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steel. | ISO MS - ons, of other | | |
| 399 | 7227 7227 722 | 20 90 8 | 000 | Of silico-manganese steel Other Other bars and rods of alloy steel; angles, shapes and sectionalloy steel; hollow drill bars and rods, of alloy or non-alloy steel Bars and rods of high speed steel: | ISO MS - ons, of other | | |
| 399 400 | 7227 7227 722 7228 | 20 90 8 | 000 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: | ISO MS - ons, of other | | |
| 399 400 401 | 7227 7227 722 7228 7228 | 20 90 8 10 10 | 000 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: | ISO MS - ons, of other | | |
| 399 400 401 | 7227 7227 722 7228 7228 7228 | 20 90 8 10 10 | 000 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and sectionalloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: Round Other | ISO MS - ons, of other | | |
| 399 400 401 | 7227 7227 722 7228 7228 7228 | 20 90 8 10 10 | 000 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: | ISO MS - ons, of other | | |
| 399 400 401 401 402 | 7227 7227 7228 7228 7228 7228 7228 | 20 90 8 10 10 10 | 100 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and sectionalloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: - Of circular cross-section: | ISO MS - ons, of other | | |
| 399 400 401 401 402 403 | 7227 7227 7228 7228 7228 7228 7228 | 20 90 88 10 10 10 20 20 | 000 000 100 900 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: - Of circular cross-section: Round Other - Other bars and rods not further worked than hot-rolled, hotextruded: | ISO MS - ons, of other reel | | |
| 399 400 401 401 402 403 404 | 7227 7227 7228 7228 7228 7228 7228 7228 | 20 90 8 10 10 10 20 20 20 | 000 000 100 900 100 900 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: - Of circular cross-section: Round Other - Other bars and rods not further worked than hot-rolled, hot-extruded: - Of circular cross-section: | ISO MS - ons, of other reeldrawn or | | |
| 399 400 401 401 402 403 404 405 | 7227 7227 7228 7228 7228 7228 7228 7228 | 20 90 8 10 10 10 20 20 20 30 | 100 900 100 900 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: - Bars and rods of high speed steel: - Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: - Of circular cross-section: Round Other - Other bars and rods not further worked than hot-rolled, hotextruded: - Of circular cross-section: Round | ISO MS - ons, of other reel | | |
| 399 400 401 401 402 403 404 | 7227 7227 7228 7228 7228 7228 7228 7228 | 20 90 8 10 10 10 20 20 20 30 30 | 000 000 100 900 100 900 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and section alloy steel; hollow drill bars and rods, of alloy or non-alloy steels and rods of high speed steel: - Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: - Of circular cross-section: Round Other - Other bars and rods not further worked than hot-rolled, hotextruded: - Of circular cross-section: Round Other | ISO MS - ons, of other reeldrawn or | | |
| 399 400 401 401 402 403 404 405 | 7227 7227 7228 7228 7228 7228 7228 7228 | 20 90 8 10 10 10 20 20 20 30 30 | 100 900 100 900 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and sectio alloy steel; hollow drill bars and rods, of alloy or non-alloy st - Bars and rods of high speed steel: Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: Of circular cross-section: Round Other - Other bars and rods not further worked than hot-rolled, hotextruded: Of circular cross-section: Round Other - Other bars and rods, not further worked than forged: | ISO MS - ons, of other reeldrawn or | | |
| 399 400 401 401 402 403 404 405 406 | 7227 7227 7228 7228 7228 7228 7228 7228 | 20 90 8 10 10 20 20 20 30 30 40 | 100 900 100 900 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and sectio alloy steel; hollow drill bars and rods, of alloy or non-alloy st - Bars and rods of high speed steel: Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: Of circular cross-section: Round Other - Other bars and rods not further worked than hot-rolled, hot-extruded: Of circular cross-section: Round Other - Other bars and rods, not further worked than forged: Other bars and rods, not further worked than forged: Of circular cross-section: | ISO MS - ons, of other reeldrawn or | | |
| 399 400 401 401 402 403 404 405 | 7227 7227 7228 7228 7228 7228 7228 7228 | 20 90 8 10 10 10 20 20 20 30 30 | 100 900 100 900 | - Of silico-manganese steel - Other Other bars and rods of alloy steel; angles, shapes and sectio alloy steel; hollow drill bars and rods, of alloy or non-alloy st - Bars and rods of high speed steel: Of circular cross-section: Round Other - Bars and rods of silico-manganese steel: Of circular cross-section: Round Other - Other bars and rods not further worked than hot-rolled, hotextruded: Of circular cross-section: Round Other - Other bars and rods, not further worked than forged: | ISO MS - ons, of other reeldrawn or | | |

| 722850 | | | | - Other bars and rods, not further worked than cold-formed or cold-finished: | | |
|--------|------|----|-----|--|-----|--|
| | | | | Of circular cross-section: | | |
| 409 | 7228 | 50 | 100 | Round | - | |
| 410 | 7228 | 50 | 900 | Other | - | |
| 722860 | | | | - Other bars and rods: | | |
| | | | | Of circular cross-section: | | |
| 411 | 7228 | 60 | 100 | Round | - | |
| 412 | 7228 | 60 | 900 | Other | - | |
| | 7228 | 70 | | - Angles, shapes and sections: | | |
| | | | | Angles, other than slotted angles: | | |
| 413 | 7228 | 70 | 110 | of a height of 80 mm or more | - | |
| 414 | 7228 | 70 | 120 | of a height of less than 80 mm | MS | |
| | | | | Shapes and sections: | | |
| | | | | of a height of less than 80 mm: | | |
| 415 | 7228 | 70 | 211 | of a thickness of 5 mm or less | MS | |
| 416 | 7228 | 70 | 219 | other | - | |
| | | | | of a height of 80 mm or more: | | |
| 417 | 7228 | 70 | 221 | of a thickness of 5 mm or less | - | |
| 418 | 7228 | 70 | 229 | other | - | |
| 419 | 7228 | 70 | 300 | Slotted angles, roll-formed from pure-punched steel strips, whether or not printed or galvanised | - | |
| | 7228 | 80 | | - Hollow drill, bars and rods: | | |
| 420 | 7228 | 80 | 100 | Containing by weight less than 0.6 % of carbon | - | |
| | | | | Other: | | |
| 421 | 7228 | 80 | 910 | round | - | |
| 422 | 7228 | 80 | 990 | other | - | |
| | 722 | 9 | | Wire of other alloy steel | | |
| | 7229 | 20 | | - Of silico-manganese steel: | | |
| 423 | 7229 | 20 | 100 | of a cross-sectional dimension of less than 5.5 mm | - | |
| 424 | 7229 | 20 | 900 | other | MS | |
| | 7229 | 90 | | - Other: | | |
| 425 | 7229 | 90 | 100 | Of a cross-sectional dimension of less than 5.5 mm | MS | |
| 426 | 7229 | 90 | 910 | of high speed steel | - | |
| 427 | 7229 | 90 | 990 | other | MS | |
| | 730 | 1 | | Sheet piling of iron and steel, whether or not drilled, punched assembled elements, welded angles, shapes and sections, of | | |
| 428 | 7301 | 10 | 000 | - Sheet piling | MS | |
| 429 | 7301 | 20 | 000 | - Angles, shapes and sections | MS | |
| 7302 | | | | Railway or tramway track construction material of iron or ste | el | |
| 430 | 7302 | 10 | 000 | - Rails | ISO | |
| 431 | 7302 | 30 | 000 | - Switch blades, crossing frogs, point rods and other crossing pieces | - | |
| 432 | 7302 | 40 | 000 | - Fish-plates and sole plates | - | |
| 433 | 7302 | 90 | 100 | Sleepers (cross-ties) | ISO | |
| | 1 | | 1 | 1 ' ' | 1 | |

| 434 | 7302 | 90 | 900 | Other | - | | |
|------|------|----|-----|---|---------|--|--|
| | 730 | 3 | | Tubes, pipes and hollow profiles of cast iron | | | |
| 435 | 7303 | 00 | 000 | Tubes, pipes and hollow profiles, of cast iron. | MS | | |
| 7304 | | | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel | | | |
| | | | | - Line pipe of a kind used for oil or gas pipelines: | | | |
| 436 | 7304 | 11 | 000 | Of stainless steel | FNS | | |
| 437 | 7304 | 19 | 000 | Other | FNS | | |
| | | | | - Casing, tubing and drill pipe, of a kind used in drilling for oil | or gas: | | |
| 438 | 7304 | 22 | 000 | Drill pipe of stainless steel | FNS | | |
| 439 | 7304 | 23 | 000 | Other drill pipe | FNS | | |
| 440 | 7304 | 24 | 000 | Other, of stainless steel | FNS | | |
| 441 | 7304 | 29 | 000 | Other | FNS | | |
| | | | | - Other, of circular cross-section, of iron or non-alloy steel: | | | |
| | 7304 | 31 | | Cold-drawn or cold-rolled (cold-reduced): | | | |
| 442 | 7304 | 31 | 100 | High pressure hydro-electric conduits | FNS | | |
| 443 | 7304 | 31 | 900 | Other | FNS | | |
| | 7304 | 39 | | Other: | | | |
| 444 | 7304 | 39 | 100 | High pressure hydro-electric conduits | FNS | | |
| 445 | 7304 | 39 | 900 | Other | FNS | | |
| | | | | - Other, of circular cross-section, of stainless steel: | | | |
| | 7304 | 41 | | Cold-drawn or cold-rolled (cold-reduced): | | | |
| 446 | 7304 | 41 | 100 | High pressure hydro-electric conduits | FNS | | |
| 447 | 7304 | 41 | 900 | Other | FNS | | |
| | 7304 | 49 | | Other: | | | |
| 448 | 7304 | 49 | 100 | High pressure hydro-electric conduits | FNS | | |
| 449 | 7304 | 49 | 900 | Other | FNS | | |
| | | | | - Other, of circular cross-section, of other alloy steel: | | | |
| | 7304 | 41 | | Cold-drawn or cold-rolled (cold-reduced): | | | |
| 450 | 7304 | 51 | 100 | High pressure hydro-electric conduits | FNS | | |
| 451 | 7304 | 51 | 900 | Other | FNS | | |
| | 7304 | 59 | | Other: | | | |
| 452 | 7304 | 59 | 100 | High pressure hydro-electric conduits | FNS | | |
| 453 | 7304 | 59 | 900 | Other | FNS | | |
| | 7304 | 90 | | - Other: | | | |
| 454 | 7304 | 90 | 100 | High pressure hydro-electric conduits | FNS | | |
| 455 | 7304 | 90 | 900 | Other | FNS | | |
| | 7305 | | | Other tubes and pipes (e.g. welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel | | | |
| | | | | - Line pipe of a kind used for oil or gas pipelines: | | | |
| 456 | 7305 | 11 | 000 | Longitudinally submerged arc welded | MS | | |
| 457 | 7305 | 12 | 000 | Other, longitudinally welded | MS | | |
| 458 | 7305 | 19 | 000 | Other | MS | | |
| 459 | 7305 | 20 | 000 | - Casing of a kind used in drilling for oil or gas | ISO | | |
| | | | | - Other, welded: | | | |
| | | | | | | | |

| 460 | 7305 | 31 | 000 | Longitudinally welded | FNS | | | |
|-----|--------|----|-----|--|----------|--|--|--|
| 461 | 7305 | 39 | 000 | Other | MS | | | |
| 462 | 7305 | 90 | 000 | - Other | MS | | | |
| | 7306 | | | Other tubes, pipes and hollow profiles (e.g. open seam or welded, riveted or similarly closed), of iron or steel | | | | |
| | | • | | - Line pipe of a kind used for oil or gas pipelines: | | | | |
| 463 | 7306 | 11 | 000 | Welded, of stainless steel | FNS | | | |
| 464 | 7306 | 19 | 000 | Other | FNS | | | |
| | | | T | - Casing and tubing of a kind used in drilling for oil or gas: | | | | |
| 465 | 7306 | 21 | 000 | Welded, of stainless steel | MS | | | |
| 466 | 7306 | 29 | 000 | Other | - | | | |
| 467 | 7306 | 30 | 000 | - Other, welded, of circular cross section, of iron or non-alloy steel | MS | | | |
| 468 | 7306 | 40 | 000 | - Other, welded, of circular cross-section, of stainless steel | FNS | | | |
| 469 | 7306 | 50 | 000 | - Other, welded, of circular cross-section, of other alloy steel | MS | | | |
| | | | | - Other, welded, of non-circular cross-section: | | | | |
| 470 | 7306 | 61 | 000 | Of square or rectangular cross-section | MS | | | |
| 471 | 7306 | 69 | 000 | Of other non-circular cross-section | MS | | | |
| 472 | 7306 | 90 | 000 | - Other | MS | | | |
| | 730 | 7 | | Tube or pipe fittings (e.g. couplings, elbows, sleeves), of iron | or steel | | | |
| | | | | - Cast fittings: | | | | |
| 473 | 7307 | 11 | 000 | Of non-malleable cast iron | FNS | | | |
| 474 | 7307 | 19 | 000 | Other | FNS | | | |
| | | | | - Other, of stainless steel: | | | | |
| | 7207 | 21 | | Flanges: | | | | |
| 475 | 7307 | 21 | 100 | Of less than 15 cm in internal diameter | FNS | | | |
| 476 | 7307 | 21 | 900 | Other | FNS | | | |
| | 7307 | 22 | | Treaded elbows, bends and sleeves: | | | | |
| 477 | 7307 | 22 | 100 | Of less than 15 cm in internal diameter | FNS | | | |
| 478 | 7307 | 22 | 900 | Other | FNS | | | |
| | 7307 | 23 | | Butt welding fittings: | | | | |
| 479 | 7307 | 23 | 100 | Of less than 15 cm in internal diameter | FNS | | | |
| 480 | 7307 | 23 | 900 | Other | FNS | | | |
| | 7307 | 29 | | Other: | | | | |
| 481 | 7307 | 29 | 100 | Of less than 15 cm internal diameter | FNS | | | |
| 482 | 7307 | 29 | 900 | Other | FNS | | | |
| | | | | - Other: | | | | |
| | 730791 | | | Flanges: | | | | |
| 483 | 7307 | 91 | 100 | Of less than 15 cm in internal diameter | FNS | | | |
| 484 | 7307 | 91 | 900 | Other | FNS | | | |
| | 730792 | | | Treaded elbows, bends and sleeves: | | | | |
| 485 | 7307 | 92 | 100 | Of less than 15 cm in internal diameter | FNS | | | |
| 486 | 7307 | 92 | 900 | Other | FNS | | | |
| | 7307 | 93 | | Butt welding fittings: | | | | |
| 487 | 7307 | 93 | 100 | Of less than 15 cm in internal diameter | FNS | | | |

| 488 | 7307 | 93 | 900 | Other | FNS | | |
|------|------|----|-----|--|-----------------|--|--|
| | 7307 | 99 | | Other: | | | |
| 489 | 7307 | 99 | 100 | Of less than 15 cm in internal diameter | FNS | | |
| 490 | 7307 | 99 | 900 | Other | - | | |
| | 730 | 8 | | Structures (Bridges, towers, doors, windows, scaffoldings) | | | |
| | 7308 | 10 | | - Bridges and bridge-sections: | | | |
| 491 | 7308 | 10 | 100 | Of corrugated sheets, plates, hoop and strip, whether or not plated, coated or clad of a thickness of 1.5 mm or more but not exceeding 4.5 mm | - | | |
| 492 | 7308 | 10 | 900 | Other | - | | |
| | 7308 | 20 | | - Towers and lattice masts: | | | |
| 493 | 7308 | 20 | 100 | Of corrugated sheets, plates, hoop and strip, whether or not plated, coated or clad of a thickness of 1.5 mm or more but not exceeding 4.5 mm | - | | |
| 494 | 7308 | 20 | 900 | Other | - | | |
| | 7308 | 30 | | - Doors, windows and their frames and thresholds for doors: | | | |
| 495 | 7308 | 30 | 100 | Of corrugated sheets, plates, hoop and strip, whether or not plated, coated or clad of a thickness of 1.5 mm or more but not exceeding 4.5 mm | - | | |
| 496 | 7308 | 30 | 900 | Other | - | | |
| | 7308 | 40 | | - Equipment for scaffolding, shuttering, propping or pit-propping: | | | |
| 497 | 7308 | 40 | 100 | Of corrugated sheets, plates, hoop and strip, whether or not plated, coated or clad of a thickness of 1.5 mm or more but not exceeding 4.5 mm | MS | | |
| 498 | 7308 | 40 | 900 | Other | - | | |
| | 7308 | 90 | | - Other: | | | |
| 499 | 7308 | 90 | 100 | Of corrugated sheets, plates, hoop and strip, whether or not plated, coated or clad of a thickness of 1.5 mm or more but not exceeding 4.5 mm | - | | |
| 500 | 7308 | 90 | 910 | guardrails | - | | |
| 501 | 7308 | 90 | 990 | other | - | | |
| 7309 | | | | Reservoirs, tanks, vats and similar containers for any materia compressed or liquefied gas), of capacity exceeding 300/, who or heat-insulated, but not fitted with mechanical or thermal equations. | ether/not lined | | |
| | | | | Of a kind used for the conveyance or packing of goods: | | | |
| 502 | 7309 | 00 | 110 | of tin plates | FNS | | |
| 503 | 7309 | 00 | 190 | other | FNS | | |
| | | | | Of a kind used for the conveyance or packing of goods, other plates: | | | |
| 504 | 7309 | 00 | 900 | Other | FNS | | |
| | 731 | 0 | | Tanks, casks, drums, cans, boxes and similar containers (oth compressed or liquefied gas), of capacity exceeding 300l, who or heat-insulated, but not fitted with mechanical or thermal equations. | ether/not lined | | |
| | 7310 | 10 | | - Of a capacity of 50/ or more: | | | |
| 505 | 7310 | 10 | 100 | Made by casting | FNS | | |

| 507 7 | 7310 | | | | FNS | | | |
|-------|--------------|----------|-----|--|----------------|--|--|--|
| | 010 | 10 | 990 | other | FNS | | | |
| | | | | - Of a capacity of less than 50/: | | | | |
| | 73102 | 21 | | Cans which are used to be closed by soldering or crimping: | | | | |
| 508 7 | 7310 | 21 | 100 | Made by casting | FNS | | | |
| 509 7 | 7310 | 21 | 910 | of tin plates | FNS | | | |
| 510 7 | 7310 | 21 | 990 | other | | | | |
| | 73102 | 29 | | Other: | | | | |
| 511 7 | 7310 | 29 | 100 | Made by casting | - | | | |
| 512 7 | 7310 | 29 | 910 | of tin plates | - | | | |
| 513 7 | 7310 | 29 | 990 | other | - | | | |
| | 7311 | 1 | | containers for compressed or liquefied gas, of iron or steel | | | | |
| 514 7 | 7311 | 00 | 100 | Seamless cylinders | - | | | |
| | | | | Other: | | | | |
| 515 7 | 7311 | 00 | 910 | containers for compressed or liquefied gas lighters of a capacity not exceeding | - | | | |
| 516 7 | 7311 | 00 | 990 | other | - | | | |
| | 7312 | 2 | | Stranded wire, ropes, cables, plaited, bands, slings and the lik steel, not electrically insulated | e, of iron or | | | |
| 517 7 | 7312 | 10 | 000 | - Stranded wire, ropes and cables | MS | | | |
| 518 7 | 7312 | 90 | 000 | - Other | FNS | | | |
| | 7313 | 3 | | Barbed wire of iron and steel; twisted hoop or single flat wire, and loosely twisted double wire, of a kind used for fencing | barbed or not, | | | |
| 519 7 | 7313 | 00 | 000 | Barbed wire of iron and steel; twisted hoop or single flat wire, barbed or not, | ISO | | | |
| | 7314 | 4 | | Cloth (including endless bands), grill, netting and fencing, expanded metal of | | | | |
| | | | | iron or steel - Woven cloth: | | | | |
| 520 Z | 7214 | 12 | 000 | | | | | |
| | 7314 7314 | 12 14 | 000 | Endless bands for machinery, of stainless steel - Other woven cloth, of stainless steel | - | | | |
| | 7314 | 19 | 000 | Other | FNS | | | |
| | 7314 | 20 | | - Other - Grill, netting and fencing, welded at the intersection, of wire | MS | | | |
| 523 7 | 314 | 20 | 000 | with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm2 or more | IVIS | | | |
| 524 7 | 7314 | 31 | 000 | Plated or coated with zinc | FNS | | | |
| 525 7 | 7314 | 39 | 000 | Other | - | | | |
| | | | | Other cloth, grill, netting and fencing: | | | | |
| 526 7 | 7314 | 41 | 000 | Plated or coated with zinc | FNS | | | |
| 527 7 | 7314 | 42 | 000 | Coated with plastics | FNS | | | |
| 528 7 | 7314 | 49 | 000 | Other | - | | | |
| 529 7 | 7314 | 50 | 000 | - Expanded metal | FNS | | | |
| | 7315 | 5 | | Chain and parts thereof, of iron and steel | | | | |
| | | | | - Articulated link chain and parts thereof: | | | | |
| | 73151 | 11 | | Roller chain: | | | | |
| 530 7 | 7315 | 11 | 100 | Of mild steel | MS | | | |

| 531 | 7315 | 11 | 910 | transmission type of pitch length not less than 6 mm but not more than | MS |
|-----|----------|----|-----|--|-------------|
| 532 | 7315 | 11 | 920 | industrial or conveyor type of pitch length not less than 75 mm but | ISO |
| 533 | 7315 | 11 | 990 | other | - |
| | 7315 | 12 | | Other chain: | |
| 534 | 7315 | 12 | 100 | Of mild steel | MS |
| 535 | 7315 | 12 | 900 | Other | - |
| | 7315 | 19 | | Parts: | |
| 536 | 7315 | 19 | 100 | For goods of subheading 7315.11 100 and 7315.12 100 | MS |
| 537 | 7315 | 19 | 200 | For goods of subheading 7315.11 910 | MS |
| 538 | 7315 | 19 | 300 | For goods of subheading 7315.11 920 | ISO |
| 539 | 7315 | 19 | 900 | other | - |
| | 7315 | 20 | | - Skid Chain: | |
| 540 | 7315 | 20 | 100 | Of mild steel | - |
| 541 | 7315 | 20 | 900 | Other | - |
| | | | | - Other Chain: | |
| | 7315 | 81 | | Stud Link: | |
| 542 | 7315 | 81 | 100 | Mild steel link chain | ISO |
| 543 | 7315 | 81 | 900 | Other | - |
| | 7315 | 82 | | Other, welded link: | |
| 544 | 7315 | 82 | 100 | Mild steel link chain | ISO |
| 545 | 7315 | 82 | 900 | Other | FNS |
| | 7315 | 89 | | Other: | |
| 546 | 7315 | 89 | 100 | Of mild steel | - |
| 547 | 7315 | 89 | 900 | Other | - |
| | 7315 | 90 | | - Other parts: | |
| 548 | 7315 | 90 | 100 | Of mild steel | - |
| 549 | 7315 | 90 | 900 | Other | - |
| | 731 | 6 | | Anchors, grapnels and parts thereof, of iron or steel. | |
| 550 | 7316 | 00 | 000 | Anchors, grapnels and parts thereof, of iron or steel. | - |
| | 731 | 7 | | Nails, tacks, drawing pins, corrugated nails, staples and simila | ar articles |
| 551 | 7317 | 00 | 100 | Wire nails and staples | MS |
| 552 | 7317 | 00 | 900 | Other | - |
| | 731 | 8 | | Screws, bolts, nuts, coach-screw, screw hooks, rivets, cotters washers (including spring washers) and similar articles, of iro | |
| | | | | - Threaded articles: | |
| 553 | 7318 | 11 | 000 | Coach screws | FNS |
| 554 | 7318 | 12 | 000 | Other wood screws | FNS |
| 555 | 7318 | 13 | 000 | Screw hooks and screw rings | FNS |
| 556 | 7318 | 14 | 000 | Self-tapping screws | ISO |
| 557 | 7318 | 15 | 000 | Other screws and bolts, whether or not with their nuts or washers | MS |
| 558 | 7318 | 16 | 000 | Nuts | MS |
| 559 | 7318 | 19 | 000 | Other | FNS |
| | <u> </u> | | I | | |

| | | - Non-threaded articles: | | | | | |
|--------|------|--------------------------|-----|--|----------|--|--|
| 560 | 7318 | 21 | 000 | Spring washers and other locked washers | _ | | |
| 561 | 7318 | 22 | 000 | Other washers | _ | | |
| 562 | 7318 | 23 | 000 | Rivets | FNS | | |
| 563 | 7318 | 24 | 000 | Cotters and cotter-pins | - | | |
| 564 | 7318 | 29 | 000 | Others | - | | |
| | 731 | _ | 000 | Sewing needles, knitting needles, bodkins, crochet hooks, em | broidery | | |
| | | | | stilettos and similar articles; safety pins and other pins | | | |
| 565 | 7319 | 20 | 000 | - Safety pins | - | | |
| 566 | 7319 | 30 | 000 | - Other pins | - | | |
| 567 | 7319 | 90 | 000 | - Other | - | | |
| | 732 | 0 | | Springs and leaves for springs | | | |
| 568 | 7320 | 10 | 000 | - Leaf-springs and leaves thereof | MS | | |
| 569 | 7320 | 20 | 000 | - Helical springs | MS | | |
| 570 | 7320 | 90 | 000 | - Other | MS | | |
| | 732 | 1 | | Stoves, ranges, grates, cookers (including those with subsidicentral heating), barbecues, braziers, gas-rings, plate warmer non-electric domestic appliances | | | |
| | | | | - Cooking appliances and plate warmers: | | | |
| 571 | 7321 | 11 | 100 | for gas fuel | - | | |
| 572 | 7321 | 11 | 900 | other | - | | |
| 573 | 7321 | 12 | 000 | For liquid fuel | - | | |
| 574 | 7321 | 19 | 000 | Other, including appliances for solid fuel | - | | |
| | | | | - Other appliances: | | | |
| 575 | 7321 | 81 | 110 | bunsen burners | - | | |
| 576 | 7321 | 81 | 190 | other | - | | |
| 577 | 7321 | 81 | 900 | Other | - | | |
| 578 | 7321 | 82 | 000 | For liquid fuel | - | | |
| 579 | 7321 | 89 | 000 | Other, including appliances for solid fuel | - | | |
| | r | ı | | - Parts: | | | |
| 580 | 7321 | 90 | 100 | Of burners for kerosene stoves | - | | |
| 581 | 7321 | 90 | 200 | Pressed parts, whether enamelled or not, for articles of subheading 7321.11 | - | | |
| 582 | 7321 | 90 | 300 | Burner for subheading 7321.11 100 | - | | |
| 583 | 7321 | 90 | 900 | Other | - | | |
| | 7322 | | | Radiators for central heating, not electrically heated, and parts thereof; air heaters and hot air distributors, not electrically heated, incorporating a motor-driven fan or blower | | | |
| | | | | - Radiators and parts thereof: | | | |
| 584 | 7322 | 11 | 000 | Of cast iron | - | | |
| 585 | 7322 | 19 | 000 | Other | - | | |
| 586 | 7322 | 90 | 000 | - Other | - | | |
| | 7323 | | | Table, kitchen or other household articles | | | |
| 587 | 7323 | 10 | 000 | - Iron or steel wool; pot scourers and scouring or polishing pads, gloves and | - | | |
| | 7323 | 91 | | Of cast iron, not enamelled | <u> </u> | | |
| 102001 | | | | | | | |

| 588 | 7323 | 91 | 100 | Ash trays | - |
|--------|--------|----|-----|--|-----|
| 589 | 7323 | 91 | 900 | Other | - |
| 590 | 7323 | 92 | 000 | Of cast iron, enamelled | - |
| | 732393 | | | Of stainless steel | |
| 591 | 7323 | 93 | 100 | Ash trays | - |
| 592 | 7323 | 93 | 900 | Other | - |
| 593 | 7323 | 94 | 000 | Of iron (other than cast iron) or steel, enamelled | - |
| | 7323 | 99 | | Other: | |
| 594 | 7323 | 99 | 100 | Ash trays | MS |
| 595 | 7323 | 99 | 900 | Other | MS |
| | 732 | 4 | | Sanitary ware andparts thereof, of iron and steel | |
| | 7324 | 10 | | - Sinks and wash basins, of stainless steel: | |
| 596 | 7324 | 10 | 100 | Kitchen sinks | - |
| 597 | 7324 | 10 | 900 | Other | |
| | | | | - Baths: | |
| | 7324 | 21 | | Of cast iron, whether or not enamelled: | |
| 598 | 7324 | 21 | 100 | Long baths | - |
| 599 | 7324 | 21 | 900 | Other | - |
| | 7324 | 29 | | Other: | |
| 600 | 7324 | 29 | 100 | Long baths | - |
| 601 | 7324 | 29 | 900 | Other | - |
| | 7324 | 90 | | - Other, including parts: | |
| 602 | 7324 | 90 | 100 | Flushing cistern equipped with mechanism | - |
| 603 | 7324 | 90 | 200 | Kitchen sinks | - |
| 604 | 7324 | 90 | 810 | bed pans and urinals | - |
| 605 | 7324 | 90 | 890 | other | - |
| | | | | Parts: | |
| 606 | 7324 | 90 | 910 | for subheading 7324.90 100 | - |
| 607 | 7324 | 90 | 920 | for subheading 7324.10 100 and 7324.90 200 | - |
| 608 | 7324 | 90 | 930 | for subheading 7324.21 100 and 7324.29 100 | - |
| 609 | 7324 | 90 | 990 | other | FNS |
| | 732 | | | Other cast articles of iron and steel | |
| | 7325 | | | - Of non-malleable cast iron: | |
| 610 | 7325 | 10 | 100 | Manhole covers, gratings and frames thereof | - |
| 611 | 7325 | 10 | 900 | Other | - |
| | | | | - Other: | |
| 612 | 7325 | 91 | 000 | Grinding balls and similar articles for mills | FNS |
| | 732599 | | | Other: | |
| 613 | 7325 | 99 | 100 | Manhole covers, gratings and frames thereof | - |
| 614 | 7325 | 99 | 900 | Other | - |
| | 732 | b | | Other articles of iron and steel | |
| 045 | 7000 | 44 | 000 | - Forged or stamped but not further worked: | |
| 615 | 7326 | 11 | 000 | Grinding balls and similar articles for mills | - |
| 616 | 7326 | 19 | 000 | Other | - |
| 732620 | | | | - Articles of iron and steel wire: | |

| 617 | 7326 | 20 | 100 | Poultry wire cages and the like | - |
|-----|------|----|-----|--|---|
| 618 | 7326 | 20 | 900 | Other | - |
| | 7326 | 90 | | - Other: | |
| | | | | Parts of goods falling within heading 73.10: | |
| 619 | 7326 | 90 | 110 | for goods falling under subheadings 7310.10 910, 7310.21 910 and 7310.29 910 | - |
| 620 | 7326 | 90 | 190 | other | - |
| 621 | 7326 | 90 | 200 | Cigarette cases or boxes and the like | - |
| 622 | 7326 | 90 | 300 | Blinds | - |
| 623 | 7326 | 90 | 400 | Perforated, slotted cable trays | - |
| 624 | 7326 | 90 | 500 | Roofing tiles | - |
| 625 | 7326 | 90 | 600 | Horseshoes | - |
| 626 | 7326 | 90 | 700 | Spurs for horse riding boots | - |
| 627 | 7326 | 90 | 900 | Other | - |